

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	simultaneous near3 display with noise near3 reduc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:30
S2	5	simultaneous near3 display with noise near3 reduc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 10:45
S3	11	simultaneous\$3 near3 display with noise near3 reduc\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 12:58
S4	0	simultaneous\$3 near3 display with noise near3 reduc\$5 near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 12:58
S5	1	"same screen" with noise near3 reduc\$5 near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 12:59
S6	1	"same display" with noise near3 reduc\$5 near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:00
S7	1	"same display" with noise near3 reduc\$5 near3 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:00

S8	5	compare\$3 near3 (low or high increased) with (noise adj removal)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:03
S9	35	compare\$3 near3 (noise adj removal)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:05
S10	0	compare\$3 near3 (noise adj removal) with display	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:05
S11	0	compar\$3 near3 (noise adj removal) with display	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:05
S12	0	compar\$4 near3 (noise adj removal) with display	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:05
S13	1034	(low or high increased) with (noise adj removal)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:08
S14	416	(low or high moderate) near3 (noise adj removal)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:08
S15	0	(low or high moderate) near3 (noise adj (removal or reeduction)) with dispaly	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:08

S16	5	(low or high moderate) near3 (noise adj (removal or reeduction)) with display	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:08
S17	8	(low or high moderate) near3 (noise adj (removal or reeduction)) with display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:09
S18	26	(low or high moderate) near3 (noise adj (removal or reduction)) with display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:09
S19	97	(noise adj (removal or reduction)) with (side near2 side)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:12
S20	1936	(low or high moderate) near3 (noise) with display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:14
S21	2327	(low or high moderate) near3 (noise or smooth) with display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:15
S22	81	(low or high moderate) near3 (noise or smooth) with display\$3 and "382".clas.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:15
S23	58	simultaneous\$3 near3 display with noise	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/07 13:16

S24	11	(low or high increased or moderate or strength) near3 (noise adj removal) with display\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:21
S25	15	(low or high increased or moderate or strength) near3 (noise adj removal) with compar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:23
S26	40	(strength) near3 (filter) with compar\$4 with compare	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:28
S27	2	(strength) near3 (filter) with compar\$4 with display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:29
S28	326	(strength) near3 (filter \$3) with compar\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:29
S29	20	(strength) near3 (filter \$3) with compar\$4 and "382".clas.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/07 13:29
S30	1	(strength) near3 (filter \$3) with select with display and "382".clas.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 15:38
S31	1	(strength) near3 (filter \$3) with select\$3 with display\$3 and "382".clas.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 15:38

S32	20	("20020085743" "20040109594" "20040151358" "20050008206" "5270530" "5982953" "6697506" "6891920" "7324673" "7359541").FN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:06
S33	32	("20030194117" "20040202387" "20050110788" "20050196030" "5740267" "6671394" "6954802" "7106887" "7149334" "7162068" "7187790" "7259729" "7447341" "7516417" "7522175").FN.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:07
S34	218	382/128-232.ccls. and 382/264.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:20
S35	97	"3" adj ("x" "by") adj "3" with ("5" adj ("x" "by") adj "5" or "7" adj ("x" "by") adj "7" or "9" adj ("x" "by") adj "9")	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:35
S36	0	S34 and S35	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:36
S37	46761	382/128-232.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:37
S38	2	S37 and S35	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:37

S39	101	"5" adj ("x" "by") adj "5" with ("3" adj ("x" "by") adj "3" or "7" adj ("x" "by") adj "7" or "9" adj ("x" "by") adj "9")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:39
S40	3	S39 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:39
S41	7342	382/128-132.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/09 16:40
S42	286	simultaneous\$3 near3 display and 382/128- 132.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:13
S43	10627	simultaneous\$3 near3 display and 382/128- 132.ccls. and noise or speckle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:14
S44	76	simultaneous\$3 near3 display and 382/128- 132.ccls. and (noise or speckle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:14
S46	0	simultaneous\$3 near3 display with(noise or speckle) and 382/128- 132.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:40
S47	60	simultaneous\$3 near3 display with (noise or speckle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:40

S48	4	simultaneous\$3 near3 display with (noise or speckle) and "382". clas.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:40
S49	3	("5898436" "6333752" "6839064").FN. OR ("7460178").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 12:45
S50	58	compar\$3 near3 filter with noise and "382". clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 15:42
S51	0	select near3 filter with noise with user with display\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 15:53
S52	5	select\$3 near3 filter with noise with user with display\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 15:53
S53	13	("20010044576" "20020076091" "20030016782" "20030016850" "20030095697" "20040047497" "5761334" "5982917" "5987345" "6058322" "6266435" "6697506" "6789069").FN. OR ("7149334").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 15:56
S54	13	("20010044576" "20020076091" "20030016782" "20030016850" "20030095697" "20040047497" "5761334" "5982917" "5987345" "6058322" "6266435" "6697506" "6789069").FN. OR ("7149334").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 15:57
S55	7	select\$3 near3 filter with user with display \$3 same noise	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 16:01
S56	0	select\$3 near3 filter with operator with display\$3 same noise	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/10 16:02
S57	0	select\$3 near3 filter with operator\$3 with display\$3 same noise	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:02

S58	15	select\$3 near3 filter with user\$3 with noise same (display\$3 or show\$3 view\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:03
S59	15	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with user\$3 with noise same (display\$3 or show\$3 view\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:09
S60	1151	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with noise same (display\$3 or show\$3 view\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:11
S61	266	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with noise with (display\$3 or show\$3 view\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:11
S62	18	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with noise with (display\$3 or show\$3 view\$3) and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:12
S63	0	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with noise with user adj inerface and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:15
S64	4	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with noise with user adj interface and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:15
S65	0	(compar\$3) near3 filter with noise with user same (display\$3 or show\$3 view\$3)and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:19
S66	672	(compar\$3) near3 filter with noise	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:20
S67	2	(compar\$3) near3 filter with noise with user same (display\$3 or show\$3 view\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:20
S68	28	(select\$3 choos\$3 pick\$3 determin\$3) near3 filter with user adj interface and "382". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:22

S69	323	(select\$3 choos\$3 pick \$3 determin\$3) near3 filter with user adj interface and image	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:34
S70	4	(select\$3 choos\$3 pick \$3 determin\$3) near3 filter with user adj interface with noise and image	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:34
S71	32	(select\$3 choos\$3 pick \$3 determin\$3) near3 filter with user adj interface same noise and image	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:34
S72	91	(select\$3 choos\$3 pick \$3 determin\$3) near3 filter with user same noise and image	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:36
S73	5	(select\$3 choos\$3 pick \$3 determin\$3) near3 filter with user same noise and "600".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:37
S74	24	(select\$3 choos\$3 pick \$3 determin\$3) near3 filter with user same noise and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:38
S75	0	(compar\$3) near3 filter with user same noise and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:38
S76	0	(compare) near3 user with filter with noise and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:39
S77	1	(compar\$3) near3 user with filter with noise and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:39
S78	3	(compar\$3) near3 user with filter and "382". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:42
S79	6	(compar\$3) near3 operator with filter and "382".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:42
S80	49	(compar\$3) with noise near2 filter and "382". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:44
S81	2	(compar\$3) with noise with filter with (display \$4 view\$3) and "382". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:45

S82	42	(compar\$3) with noise with filter with (display \$4 view\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:45
S83	1	"7050640".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:55
S84	550	motion with LH	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:58
S85	0	motion with LH near3 sub adj band	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:58
S86	9	motion with LH near3 (sub adj band or subband)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/10 16:59
S87	2	(select\$3 or choos\$3) near2 image with filter \$3 near2 strength	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:52
S88	0	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near2 strength with display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:54
S89	8	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near2 strength	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:55
S90	357	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near2 display	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:56
S91	6	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near2 display and "382".clas.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:57
S92	7555	(user or operator) near3 (select\$3 or choos\$3) with filter	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:58

S93	393	(user or operator) near3 (select\$3 or choos\$3) with filter near3 (plural\$3 multiple several two)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:58
S94	489	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near3 (plural\$3 multiple several two)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:58
S95	6	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near3 (plural\$3 multiple several two) same display\$3 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 15:59
S96	4	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 near3 (plural\$3 multiple several two) same display\$3 and "600".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:03
S97	0	(user or operator) near3 (select\$3 or choos\$3) with speckle \$3 near3 (plural\$3 multiple several two) same display\$3 and "600".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:05
S98	0	(user or operator) near3 (select\$3 or choos\$3) with speckl\$3 near3 (plural\$3 multiple several two) same display\$3 and "600".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:05
S100	1	(user or operator) near3 (select\$3 or choos\$3) with noise\$3 near3 (plural\$3 multiple several two) same display\$3 and "600".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:05

S101	11	(user or operator) near3 (select\$3 or choos\$3) with noise\$3 near3 (plural\$3 multiple several two) same display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:06
S102	0	(user or operator) near3 (select\$3 or choos\$3) with speckle \$3 near3 (plural\$3 multiple several two) same display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:22
S103	0	(user or operator) near3 (select\$3 or choos\$3) with speckle \$3 with(plural\$3 multiple several two) same display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:23
S104	37	(user or operator) near3 (select\$3 or choos\$3) with noise\$3 with(plural\$3 multiple several two) same display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:23
S105	247	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 same (plural\$3 multiple several two) near5 display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:26
S106	109	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 with (plural\$3 multiple several two) near5 display\$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:27
S107	9	(user or operator) near3 (select\$3 or choos\$3) with filter\$3 with (plural\$3 multiple several two) near3 image\$3 near5 display \$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:29
S108	2	"4901063".pn.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:30

S109	1	(user or operator) near3 (select\$3 or choos\$3) with noise with (plural\$3 multiple several two) near3 image\$3 near5 display \$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:37
S110	14	(user or operator) near3 (select\$3 or choos\$3) with (noise filter speckle) same (plural\$3 multiple several two) near3 image\$3 near5 display \$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:38
S111	15	(user or operator) near3 (select\$3 or choos\$3) with (noise filter\$3 speckle) same (plural\$3 multiple several two) near3 image\$3 near5 display \$3	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 16:38

EAST Search History (Interference)

< This search history is empty >

12/ 18/ 2009 11:47:58 AM**C:\Documents and Settings\smotsinger\My Documents\EAST\Workspaces\10659184.wsp**